

यस विभागको लागि आवश्यक चारपांग्रे सवारी साधन (SUV, RHD) थान 9 (एक) सार्वजनिक खरिद ऐन, २०६३ (संशोधन सहित) को दफा द को उपदफा 9(क) द तथा सार्वजनिक खरिद नियमावली, २०६४ (संशोधन सहित) को नियम ३१ख बमोजिम त्यस्तो सवारी साधन उत्पादक वा सो को आधिकारिक विकेताहरु विच मात्र प्रतिस्पर्धा गराउने (क्याटलग सपिङ्ग) विधिबाट खरिद गर्नु पर्ने भएकोले सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ख अनुसार सवारी साधन विकि गर्न चाहने उत्पादक वा आधिकारिक विकेताले आ-आफ्नो उत्पादनको आधिकारिक स्पेशिफिकेशन, गुणस्तर, मूल्य र सुविधा सहितको विवरण (क्याटलग वा ब्रोसर) संलग्न राखि यो सूचना प्रकाशित भएको मितिले ७ दिन भित्र यस विभागमा सूचीकृत गर्नु हुन सम्वन्धित उत्पादक वा आधिकारिक विकेताको जानकारीको लागि यो सूचना प्रकाशित गरिएको छ । प्राप्त दरखास्त उपर छानविन गरी सूचीकृत गर्ने नगर्ने अधिकार यस विभागमा निहित रहनेछ । यस सूचना तथा सवारी साधन (SUV, RHD) को स्पेशिफिकेशन विभागको website: www.doind.gov.np मा हेर्न सकिने छ ।

2005 99/22



.N.	Criteria	Requirements	Offered Specification
1		Five doors, Right hand drive, hard top compact type SUV suitable for normal and rough road driving in Nepal at an altitude up to 2000 meter and in ambient temperature -5 to 50 degree centigrade. Gross Vehicle Weight of the vehicle shall not be less than 1750 kgs and shall have seating capacity for atleast 5 passengers including driver.	Make : Model : Country of Origin :
2		4-Stroke, 4 cyllinder Water cooled diesel engine with displacement 1450cc to 2200cc, developing Maximum rated power output not less than 110ps at governed RPM, Maximum torque not less than 240N-m at governed RPM shall fully equiped with accessories for efficient full load operation of the vehicle and controlling device for safe, smooth, efficient, economical operation with less emissions.	Model :
3	Emission Standard	The Emission Standard of the vehicle should be of Nepal Vehicle Mass Emission Standard -2069 certified by Department of Transport Mangement , Nepal	
24	Gauges	To include speedometer, odometer, water temperature, fuel, oil pressure indicator, etc. as necessary for efficient operation and maintenance.	<u>.</u>
6	Clutch	Single Dry Plate	
7	Transmission	Manual shift at least 6 forward and one reverse , all forward synchromesh.	
8	Ground clearance	minimum 190 mm.	-
9	Suspension	Front :Independent;Double wishbone(Torsion bar, coil spring) ;McPherson Strut with coil spring Rear : Semi-independent; Couple Torsion beam/ Multy-link with coil spring	
10	Tires	Standard Size	
11		Not more than 5.6 m	
12		Not less than 45 liters	
17	Steering	Power Steering	
13	3 Brakes	Front : ventilated Disc type Rear : Disc / Drum type, hydraulic operated on all wheels, and parking brake, dual circuit preferred. Anti-lock Braking system(ABS) with Electronic Brake-force Distribution (EBD).	
1	4 Cab	4 doors and 1 back door, all metallic cab with insulated roof, laminated / tinted glass windscreen, washer and wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for drive and co- passenger, floor mats, two sun visors, and two rear view mirrors. Boot space minimum 390 litre	S.

सिकानिकल इन्जिनियर

असि प्रकाश सिटोला

	Chassis and frame	Steel, heavy duty high rigidity frame structure for rough road contructions, with toe-hook.	
16	Essential accessories	 Head light, tail and rear light, Reversing light, turn signals Speedometer / Odometer Cabin lights. Engine Immoobilizer. Spare wheel with tyre and tube. Suitable jack and handle. Seat belt for driver and co-driver . Automaic Air Conditioning/Automatic climate control Central door Locking System Power window all doors Touch screen a music system control on steering wheel At least front Dual air bags Audio with AUX+USB, AM/FM Rear Defogger Reverse parking sensor / camera Cruise control Yeyless entrey 	
		19. Electronic control ORVM To be equipped with all accessories offered in standerd model but not limited above items All signs and instructions in the vehicle shall be in English	-
17	Instructions	Copy of the Operator's and Owner's instructions in English shall be	
18	Manuals	supplied with each vehicle.	
19	Tools	A set of tools as reqired for general maintenance shall be supplied.	
20	Colour	Standard color	
21	Proven Performance	The vehicle offered shall be under standard production by the manufacturer for at least one year. 2. The bidder shall provide the manufacture's data of the performance of the unit to include the fuel consumption, performance curve of the engine and production capacity.	
22	Warranty	Manufacturer shall provide a minimum of One-year warranty after acceptance.	
23	Delivery	The SUV , One (1) units shall be delivered to : Department of Industry, Tripureshwor Ktm.	

Note: The major items are indicated by bold or highlighted letters/alphabets in the technical specifications. Non-compliance of these major items will result in non responsiveness of the bid offer.

मेकानिकल इन्जिनियर Prepared by : Hare Krishna Mishra Mechanical Engineer Heavy Equipment Division, Minbhawan

भाग सरकार कार्य भाग सरकार कार्य मिन्द्र तथा यातायात भाग लेडक विभाग भाग केक्वीप्सेन्ट डिभिज्ञ भाग कानेप्रवर, काठपाण्ड Approved By :

जीवन प्रकाश सिटोला